G R. S. 59]

GENERAL AND REVENUE SECRETARIAT.

190 1892-3

( )

File No. 186

Serial Nos.

Papers Filed.

*Month*_____

SUBJECT.

Restoration of the inam ommatthe tank

PREVIOUS REFERENCES.

LATER REFERENCES.

Inm F 30-94

162—04

MYSORE P. W. DEPARTMENT,
CENTRAL OFFICE.

No. 798

Bangalore 3rd *March* 1891.

From

The Superintending Engineer of Mysore.

To

SIR, *The Chief Secretary*
to the Dewan of Mysore

I have the honor to forward the accompanying project amounting to Rs. 15,953, providing for the restoration and improvement of the Inam Gomatoor Kere, Regd: No: 27 of Chamrajnagar Taluk, prepared by this Department apparently at the instance of the Dy: Commr, who has formally approved of the same in his No: 837 dated 9th January 91, to the address of the Exec. Engineer, Mysore Division. It will be seen from the concluding para of the Report attached to the Estimate that it is proposed to meet the entire cost of the work from the Chamrajnagar Temple funds. The sanction of Govt in the General Department is therefore necessary, with an allotment from the Temple funds, before the work can be undertaken by this Department. I see no objection to the project, as submitted. —

I have the honor to be,
Sir,
Your most obedient Servant,

C. Haweis. Colonel. R E

Superintending Engineer of Mysore.

1890/91

MYSORE P. W. DEPARTMENT.

No. 798

OFFICE OF THE
1182
5 - MAR. 91
DEWAN OF MYSORE

From The Superintending Engineer of Mysore.

To The Chief Secretary to the Dewan of Mysore

Dated Bangalore 3rd March 1891

Despatched

Enclosure No. 1 Estimate
1 Construction data
2 Plans
1 Report

Subject.

Forwards a project, providing for the restoration & improvement of the Iruan Somattoor Kere of Chamraj-nagar Taluk, for sanction of Govt in the General Deptt; the cost being met from the Chamrajnagar Temple funds.—

Mysore Asst
CS
4/8/91

Government of Mysore,
Public Works Department,
Bangalore 28th July 1881

Circular No. 113

To

All Executive Engineers and
Examiner Public Works accounts.

Circular Memo.

In supersession of previous orders, it is hereby notified that a charge of 10 per cent will be made on account of establishment on all works the expenditure on which is supervised by the Public Works Department, with the exception of those provided for in the Public Works Budget, on which a rateable percentage is charged.

II. Provision for the above charge of 10 per cent will in future be made in all such estimates as may be prepared by Executive Engineers for other departments or as may be submitted for sanction.

Prior

this Office of estimates for works for other departments for which no provision has been made in the Public Works Budget, the Officers of those departments must indicate the source from which the expenditure is to be met.

By Order

(Signed) W. R. Johnson, Colonel,
Secretary to the Government of
Mogadon
Public Works Department.

C.V

Main Abstract Estimate of the probable cost of Improving ——— Guacle Comattur Kere Tank, Registered No. 27 Serial No. Taluk Chamarajanagar District Mysore.

Items of work.		Cost	Total.
Bund.	Lump sum Rupees —	12077	
Sluices	— do —	200	
Waste weirs	— do —	1480	
Distribution	— do —	55	
Supply	— do —	"	
Miscellaneous	— do —	"	
	Total —	13812	
	Contingencies at 5%	691	
	Establishment charges at 10%	1450	15953.

Bund. - Low portion of bund is to be raised and strengthened as per Construction details

Sluices - To be examined and repaired

Waste weirs - Blocking up the left weir and building a new weir of 210 feet in lieu of the present right weir.

Station Camp Kibbere
Date — 18th Feby 1913

(Sd.) C. V Norris.
Offg: Executive Engr.
Mysore Dn.

Statement showing the particulars of Inam villages attached to the Shree Chamarajeswara Swami temple in the Chamarajnagar Taluk.

No.	Village.	Name of Inamdar.	Old Extent	Old assessment Rs	A	P.
1	Bendravadi (S. In.)	The Managers for the of Chamarajeswara Swami at Chamarajnagar	"	1666	15	5.
2	Muttige	Do	"	1406	0	9.
3	Heggotara (S. In.)	Do	"	823	1	9.
4	Sivapura (S. In.)	Do	"	329	0	3.
5	Kattepura (S. In.)	Do	"	405	13	11
6	Bedrapura	Do	"	607	6	1.
7	Havahalli (S. In.)	Do	"	490	11	7.
8	Handrakalli (S. In.)	Do	"	1260	12	9.
9	Sappinapura (S. In.)	Do	"	277	3	3.
10	Yelakuru (S. In.)	Do	"	2097	4	8.
11	Navaluru (S. In.)	Do	"	2090	4	2.
12.	Ematturu (S. In.)	Do	"	5184	2	8.
			Total	16638	13	3

E. 45

Statement of Inam Villages attached to the Sree Chamaraj eswara Swamy temple.

1

(General Serial No. 31)

From 1891.

To The Dy Commr
Mysore Dist

Dated "

Despatched 12 March /91

Received

Enclosures No. One

General No. 13926
No 829

Has the honor to forward herewith for information copy of letter No 798 of the 3rd Inst from the Chief Engineer of Mysore forwarding for sanction a project providing for the restoration & improvements of the Inam Oomathoor Tank of Chamarajanagar Taluk and to request to be furnished with information on the following points:—

(1) Whether Oomathoor is one of the Inam

Inam villages attached to the Chamarajeswara Swamii temple at Chamarajanagar.

(2) Whether the temple has sufficient funds at its credit to meet the proposed cost. If so, a statement shewing the particulars of the amount of funds now available at the credit of the Institution may be forwarded to this office together with the Treasury Officer's usual certificate.

By order

16/3/91
Under Secy.

C.V.

(General Serial No. 30).

4798

316 M 214.

189/.

From

To The Chief Secretary to the Dewan of Mysore

Dated 17th

Despatched 18th August

Received

Enclosures No. /

General No. 409

No.

To the Secretary Rs. 7238-4-0 on 3 Abstracts

Requesting early ~~supply~~ orders for the repairs of the Domatm tank in the Chamrajnagar Taluk.

Reference 1

20/8/91

Major Pettigrew 21/8/91

Read 22-8-91.

132

21-8-91

No. 409

Mysore Dy Commissioner's Office
Dated 17 August 1891

From

D. Naunerd Roe Esquire
Offg. Deputy Commissioner
Mysore District

To

The Chief Secretary
to the Government of Mysore

Sir,

With reference to your docket No. 13426/829 dated 11th March last together with its enclosure, regarding the repairs of Gowdatoor tank, Chamraj-nagar Taluk, I have the honor to state that the Village is one of the Villages attached to Chamarajaswaraswamy temple at Chamrajnagar, and the temple has at its credit a sum of Rs 16,373-2-10 under "Hosa Head". Treasury certificate for the amount is submitted herewith.

It is requested that early orders may be issued for execution of the work, as the tank is in urgent need of repairs.

I have the honor to be
Sir
Your most obedient servant

D. Nauncerd Roe
Offg Dy Commissioner
Mysore District

MM

1891 - 92.

MYSORE P. W. DEPARTMENT

No.

From

The Chief Engineer
of Mysore.

To

The Chief Secretary to the
Govern^t of Mysore.

Dated Bangalore 3rd September 1891.

Dispatched

Enclosure No.

Subject.

Chairmanship No. 1198 dated 3rd March 91, forwarding Plans and Estimate, amounting to Rupees 15,753 for the restoration and improvement of the Sham Bomathoorkere Reg^d No. 27 of Chamrajnagar Taluk, for sanction from the Chamrajnagar Temple Funds.

I Have the honor to invite the Chief Secretary's early attention to the above.

E. V. Miller

Asst Chief Engineer

for Chief Engineer

10-9-91

Mysore Pol.

21

9861

dt. 10-9-91.

L. Miller

21

10901

Sir

Sub D with to-fee

14/9 Please answer the papers of this office personally after

Asst Engr

Arranged & sub D

14/9/91

10-9-91

189[illegible]

MYSORE P. W. DEPARTMENT

No 4398

From

The Chief Engineer
of Mysore.

To The Chief Secretary to the
Dewan of Mysore -

Dated Bangalore 28th September 1891.

Despatched

Enclosure No. one

Subject.

Forwarding copies of letters from the Deputy Commr and Sharzey Officer representing that the repairs to the Domathoor Tank is urgently required and requesting to obtain the early sanctioning Government to the project. ——

Project
Report
as

[illegible]

[illegible]

[illegible]

No. 4398

MYSORE P. W. DEPARTMENT
CENTRAL OFFICE,
Bangalore, 28th September 1891

From Colonel C. Bowen, R.E.,
~~The~~ Chief Engineer of Mysore,

To The Chief Secretary to the
Dewan of Mysore.

SIR.

In continuation of this Office No. 798 dated 3rd March 1891, submitting for formal sanction in General Department, project of Rupees 15953 for the restoration and improvement of the Imam Comathoor Tank, Regd. No. 27 of Chamrajnuggar Taluk, I have the honor to forward the enclosed copies of letters from the Deputy Commissioner and Munzrey Officer, Mysore District, in which the repair of the Tank is represented to be urgently required. I have therefore to request that you will be so good as to obtain the early sanction of Government to the project.

I have the honor to be,
Sir,
Your most Obedient Servant.
C. Bowen.
Colonel, R.E.,
Chief Engineer of Mysore.

1. No. 275 dated 15th September 1891 from Deputy Commissioner.
2. No. 73 dated 10th Sept 1891 from Munzrey Officer.

Recd. 1118

No. 275.

Mysore Deputy Commissioner's Office
Dated Camp Nanjangud 15th
September 1891.

From,

D. Nanakal Rao Esqre
Offg: Deputy Commissioner

To,

The Executive Engineer
Mysore Division.

Sir,

In forwarding herewith a copy of Munzroy Officer's No. 73 dated 11th instant, I have the honor to request that you will be good enough to take steps at an early date to have the tank repaired. —

2. — In reply to a reference from the Chief Secretary, he has been informed that sufficient funds are available under "Rosa Head". I therefore request that you will kindly move the Chief Engineer to sanction the work at an early date. —

I have &c
(Signed) D. Nanakal Rao
Offg: Dy Commissioner

No. 73. —

From, The Munzroy Officer
Mysore District.

To, The Deputy Commissioner
Mysore District.

Dated 10th September/91

Memo.

With reference to this Office letter No. 104 dated 26th July/91 regarding the project for improving the Inam tank at Kunathur,

1

Channarayapuggar Sahib, has the honor to forward herewith a petition received from the inhabitants of that place, complaining the present state of the bund which requires urgent repairs, as observed by the Executive Engineer, Mysore Division, in his letter cl°. 3666/509 of the 15th November 1890, to the deputy Commissioner, Mysore District. —

2. — Begs to state that there is sufficient fund available at the credit of the Channa Rajeswara Swami temple to meet the cost of repair estimated by the Executive Engineer, Mysore Division, and the undersigned requests that the Deputy Commissioner will be pleased to move the Government for sanctioning the estimate at an early date. —

(Signed) H. Nanjundaraj Urs.
Munsiff Officer
Mysore District.

True copies. C. Anwer.
Asst R.S.

Chief Engineer of Mysore. —

Bangalore
28th September
1891

Ch. Chs

(General Serial No. 30).

189/ .

From

To The Chief Engineer of Mysore.

Dated 3-1-91

Despatched 7-1-91

Received

Enclosures No.

General No. 88-40

In No. 40

Sanctioning an estimate for ~~Rs~~ 15,953/- for repairing the Comattur Tank in the Chamarajanagar Taluk.

Read

Letter No. 798 dated 3rd March 91 from the Chief Engineer of Mysore forwarding for sanction a project amounting to Rs. 15,953-- -- ~~and providing~~ for the restoration and improvement of the Swami Gowmattu tank registered No. 27 in the Chamarajanagar Taluk.

Letter No. 409 dated 17th Augt 91 from the Dy Commr, Mysore Dist, stating that the Chamarajeswara Swami temple at Chamarajanagar has a sum of Rs. 16373-2 available at its credit under the head "Receipts of temples" and requests that

that early orders may be issued for the execution of works.

Order thereon ——

No 7738-40. M240 D/3-10-91

The records show that the tanks under reference is not a Govt. tank, that it is an Inam tank situated at Gonattur, an Inam village attached to the Chamarajeswara Swamy temple at Chamarajanagar, that it yields a revenue of Rs. 824/ per annum, that the total Acreage of the tank is 308 acres that only 151 acres of it are irrigated at present, that the Executive Engineer, Mysore Division, proposes that the weir of the tank should be raised in such a

way that it might irrigate 378 acres or 227 acres more than at present with a view that it might bring an additional revenue of Rs. 800/, that the raising of the weir would submerge only 12 acres of dry lands for which a Compensation of Rs. 300/ is allowed in the estimate, that the bund, revetments sluices and weir should be put in a thorough order as they are all now in a deteriorated state, that a provision of Rs. 1450/ has been made in the estimate on account of establishments charges of the Public Works Deptt and that the Dy Commr has

has approved of the above proposals.

2. The estimate prepared by the Executive Engineer, Mysore Division, for Rs. 15,953/ and recommended by the Chief Engineer is sanctioned, the charge being met from the sum of Rs. 16,373-2-10 available at the credit of the Chamarajeswara Swamy temple at Chamarajanagar on 1st March 1891 under the major head "Receipts of temples" or minor head, "Gayer and other collections."

3. As the Dy Commr reports that the tank is in urgent need of repairs, the Chief

Chief Engineer will be requested to issue orders for the early execution of the work, under the superintendence of a responsible officer of the Public Works Deptt.

23/10/90
Chief Secretary.

To the Chief Engineer of Mysore, returning the enclosures.

— " — Dy Comnr, Mysore Dist.

— " — Comptroller with a copy of the abstract estimate and necessary officer's certificate.

C.V.

Note:— A copy of the estimate to be kept in office.

C.V.

OFFICE OF THE
1891 7154
MYSORE P. W DEPARTMENT. In 320

No. 4751
691

From

The Secretary to the Government of Mysore.

To

The Chief Secretary to the Dewan of Mysore.

Dated Bangalore 29th October 1891.

Despatched

Enclosure No.

Subject.

Informing that the amount of the estimate for restoring the Iraw Bonatur Tank, in Chamarajendranagar Taluk has since been altered to Rs. 16,794, and requesting to intimate the same to the Comptroller of Mysore.—

C Vaikuntam
31/10/91

Read
3-11-91

Bz

MYSORE P. W. DEPARTMENT,
CENTRAL OFFICE,
Bangalore 29th October 1891.

No. 4756/601

From

The Secretary to the Government of Mysore,
P. W. Department.

To The Chief Secretary to the
Dewan of Mysore -

SIR,

With reference to Government Proceedings
No. 7738-40/Ch. 240 dated 3rd instant, sanctioning
an estimate for Rs. 15,953 for restoring the
Inam Donatur Tank, Reg. No. 27 in Chama-
=rajendranagar Taluk from Mungroy funds,
I have the honor to inform you that the
amount of the above estimate has since
been altered to Rs. 16,794, as corrected in
this office, owing to certain omissions
in the estimate submitted by the Executive
Engineer. I request that you will
obligingly intimate the alteration
to the Comptroller of Mysore. ——

I have the honor to be,
Sir,
Your most obedient Servant,

Assistant Secretary to the Government
of Mysore, P. W. D.

Read

Govt. Pro: No. 7738-40 / M.240 dated 3rd Octr. / 91 sanctioning an estimate for Rs. 15953/ for repairing the Oomattur Tank in the Chamarajanagar Taluk.

Letter No. 4751 / 601 dated 29th Octr. / 91 from the Secretary to the Govt. of Mysore, Public Works Deptt. stating that the amount of the aforesaid estimate has since been altered to Rs. 16,794/ owing to certain omissions in the estimate submitted by the Executive Engineer, Mysore Dn.

No 8761-3 / M 269

Order thereon

D/12.11.91 / 18a

the alteration

estimate as —
approved.

J

(General Serial No. 30).

189 /.

From

Under Secy.

To The Chief Engineer.
—"— Comptroller.
—"— Dy. Comr., Mysore Dist.

To The Secy. to the Govt. of Mysore P.W.D.
—"— Comptroller for information.
—"— Dy Comr., Mysore Dist — do —
C.V.

Dated 12 Nov. 91
Despatched 18 Nov. 91
Received

Enclosures No.

General No. 8761-3
M No. 269

Approving of certain alteration made in the estimate for repairing the Doraiattan Tank, in the Chamarajanagar Taluk.